



Client Vici Peptides

Analyzed 06/12/2026

This Certificate of Analysis certifies that the sample listed herein was tested by SteriGenix using validated analytical methods and was found to meet the stated specifications at the time of analysis.

SAMPLE INFORMATION

| | | | |
|--------------|--------------------|-------------|--------------------|
| Product | IGF-1 LR3 | Form | Lyophilized Powder |
| Batch | IG1-2601-01 | Labeled Qty | 1MG |
| Mol. Formula | C400H625N111O115S9 | CAS Number | 946870-92-4 |
| Cap Color | Blue | Crimp Color | Silver |
| Appearance | White Powder | Mol. Weight | 9117.50 g/mol |

TEST RESULTS

| | REFERENCE STANDARD | RESULT | |
|-------------------------------|--------------------------------|-----------|---|
| Batch Avg Purity | (>98%) | 99.91 | ✓ |
| Batch Avg Net Content | 1MG ± 10% | 1.05 | ✓ |
| Identity Confirmation (LC-MS) | IGF-1 LR3 | IGF-1 LR3 | ✓ |
| Microbial Sterility Screen | Bacterial Growth (Accelerator) | No Growth | ✓ |
| Mol Weight | 9117.50 g/mol | Matches | ✓ |
| Endotoxin | (<0.5 EU/ml) | PASS | ✓ |


HEAVY METAL SCREENING

| Parameter | Result |
|--------------|----------|
| Lead (Pb) | Negative |
| Cadmium (Cd) | Negative |
| Arsenic (As) | Negative |
| Mercury (Hg) | Negative |


BATCH CONFORMITY RESULTS

No data.

HPLC CHROMATOGRAM



SAMPLE PHOTOS



AS RECEIVED

RECONSTITUTED (BACT. WATER) — CLARITY CHECK

Dr. R. Caldwell

ANALYST
ID: AN-3271

Dr. P. Andersen

QC REVIEWER
ID: QR-5418

Dr. H. Whitman

QA DIRECTOR
ID: QA-1090



Report#: RPT-2026-929746

Access Code: IG1-2601-01

sterigenixanalytical.com/verify