



Title:


Certificate of Analysis (CoA)

Date: 3/31/2026
Date Tested: 3/30/2026
Customer: Vici Peptides
Testing material: Semaglutide
Lot Number: SM20-2603-02
BT Sample ID: 005000039443642
Labeled Peptide
Content/Potency: 20 mg
Storage: R.T.
Visual Description: Small clear vial: white sample, holographic label, silver crimp, green plastic cap.
Labeled as: Semaglutide
Manufacturer: N/A
Testing Purpose: FTIR and HPLC analysis for the identification, purity, potency and composition of a peptide product. It does not provide information on particulate matter, microbial contamination or presence of endotoxins.



Test	Method	Specification	Result
General Appearance	USP <630>	white powder	white powder
Mass	USP <41>	As recorded	69.9 mg
FTIR Identification and Composition Analysis	USP <197A>	Sample spectrum should confirm the content of peptide via characteristic bands	FTIR sample spectrum confirms the presence of Semaglutide with addition of excipient(s)/fillers.
HPLC Purity of Peptide Assay	USP <621>	Specifications: $\geq 98\%$	99.9 %
HPLC Potency Assay	USP <621>	Specifications: 90 – 110% of 20 mg	21.7 mg (108.5 %)
Peptide-to-Excipients Ratio	USP <1151>	Recommended ratios of (1:2) to (1:10) for (peptide: excipients)	21.7 : 48.2 mg (1:2.2)

The results of the CoA relate only to the item(s) tested and applied to the sample as received.



Andrea Castro, AS
Scientist-II
BTLabs



Verna Zheng, AS
Scientist-II
BTLabs




Title:

Certificate of Analysis (CoA)

FTIR ID and Composition Analysis: Semaglutide Lot SM20-2603-02



HPLC Purity and Potency Assay @ 280 nm: Semaglutide Lot SM20-2603-02



Semaglutide Lot SM20-2603-02 @ 280 nm

Peak #:	Retention Time (min)	Area (mAU*s)
1	9.315	2699.9